

5046305



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

**D2600-3-130**  
**Job Sheet 172150**



Part No: D2600-3-130

Job Qty: 127 ea

Part Name: Extrusion Round 3" 350



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 2/13/18

Job Tracking No:

Due Date: 2/20/18

Created By: Chantal Lavoie

Type: Stock

Description:

Note: DWG REV E

Ship Via:

### Bill of Materials

### Job Routing

| Op No | Operation  | Qty     | Start Date | Due Date | Standard  |         | Workcenter/Supplier   |  | Lead Time | DAS Sign-off     |
|-------|------------|---------|------------|----------|-----------|---------|-----------------------|--|-----------|------------------|
|       |            |         |            |          | Setup hrs | Run Hrs | Workcenter / Supplier |  |           |                  |
| 100   | Purchasing | 127 pcs |            | 2/20/18  | 0.00      | 0.00    | Purchasing            |  |           | 11 FEB 28 2018   |
| 110   | Packaging  | 127 pcs |            | 2/20/18  | 0.00      | 0.00    | Packaging2            |  |           | 9-89 FEB 28 2018 |
| 120   | QC         | 127 pcs |            | 2/20/18  | 0.00      | 0.00    | QC18                  |  |           | 11 FEB 28 2018   |
| 130   | Packaging  | 127 pcs |            | 2/20/18  | 0.00      | 0.00    | Packaging3-1          |  |           | 9-89 FEB 28 2018 |
| 140   | QC21-SA    | 127 Ea  |            | 2/20/18  | 0.00      | 0.00    | QC21                  |  |           | 21 MAR 07 2018   |

Part Op 100 - Issue P/O: 038627 a) Extrude as per Dwg D2600 (130" long) b) Material: 6061-T6 c) Material certification Descriptions: is required. \*\*\*EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS.\*\*\* \*\*MUST BE WELL PACKAGE, IF NOT IT WILL BE REFUSE\*\*\*

110 - Ensure material certification is attached

120 - Check Pull test per Dwg D2600 for compliance page attached Check hardness with Webster tester

130 - LOCATION : LG002

FEB 13 2018

### Job BOM

| Part / Item  | Component Name         | Quantity       | Operation      | Container |
|--------------|------------------------|----------------|----------------|-----------|
| D2600-3-130P | Extrusion Round 3" 350 | 127 pcs (1 ea) | 100-Purchasing |           |

5046104

### Job Allocations

| Operation      | Component Part | Required | Inventory | Allocated |
|----------------|----------------|----------|-----------|-----------|
| 100-Purchasing | D2600-3-130P   | 127      | 0         | 0         |

| Part Specifications |             |                         |                |      |                  |
|---------------------|-------------|-------------------------|----------------|------|------------------|
| Spec No             | Description | Target/Tolerance        | Limits         | Type | Special Comments |
| 1                   | Extrusion   | 0.375inches $\pm$ 0.010 | 0.385<br>0.365 |      |                  |
| 2                   | Extrusion   | 2.810inches $\pm$ 0.032 | 2.842<br>2.778 |      |                  |
| 3                   | Extrusion   | 3.150inches $\pm$ 0.032 | 3.182<br>3.118 |      |                  |
| 4                   | Extrusion   | 2.840inches $\pm$ 0.032 | 2.872<br>2.808 |      |                  |
| 5                   | Extrusion   | 0.075inches $\pm$ 0.010 | 0.085<br>0.065 |      |                  |
| 6                   | Extrusion   | 0.155inches $\pm$ 0.010 | 0.165<br>0.145 |      |                  |
| 7                   | Extrusion   | 3.000inches $\pm$ 0.032 | 3.032<br>2.968 |      |                  |

Plex 2/13/18 10:24 AM dart.lavoie.chantal

# SPECIFICATION CONTROL DRAWING

## D2600-X-XXX EXTRUSION

### NOTES:

1) MATERIAL: 6061-T6 ALUMINUM PER QQ-A-200/8 OR AMS-QQ-A-200/8 OR ASTM B221

MINIMUM TENSILE YIELD STRENGTH = 35 KSI  
MINIMUM ULTIMATE TENSILE STRENGTH = 40 KSI  
MINIMUM ELONGATION = 8%


A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY TO ENSURE THAT THE BATCH MEETS THE ABOVE MINIMUM MECHANICAL PROPERTIES

- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N PER DART QSI 044 6.1 (FINE POINT PERMANENT INK MARKER)
- 7) WEIGHT: D2600-1 = 0.078 lb/in, D2600-3 = 0.130 lb/in, D2600-5 = 0.045 lb/in, D2600-7 = 0.091 lb/in
- 8) NO TOOLING MARKS
- 9) FOR D2600-1, PART NUMBER IS D2600-1-XXX WHERE XXX IS CUT LENGTH (EX. D2600-1-160 IS 160" LONG).  
D2600-1 EXTRUSION MANUFACTURED FROM:  
- CARADON INDALEX DIE # MH-18870  
- SIGNATURE ALUMINUM (BON-L) DIE # 897121
- 10) FOR D2600-3, PART NUMBER IS D2600-3-XXX WHERE XXX IS CUT LENGTH (EX. D2600-3-120 IS 120" LONG).  
D2600-3 EXTRUSION MANUFACTURED FROM:  
- CARADON INDALEX DIE # MH-18859  
- SIGNATURE ALUMINUM (BON-L) DIE # 897122
- 11) FOR D2600-5, PART NUMBER IS D2600-5-XXX WHERE XXX IS CUT LENGTH (EX. D2600-5-108 IS 108" LONG).  
D2600-5 EXTRUSION MANUFACTURED FROM:  
- CARADON INDALEX DIE # MS-18871
- 12) FOR D2600-7, PART NUMBER IS D2600-7-XXX WHERE XXX IS CUT LENGTH (EX. D2600-7-125 IS 125" LONG).  
D2600-7 EXTRUSION MANUFACTURED FROM:  
- CARADON INDALEX DIE # MS-18872


RELEASED  
2012-01-11

|            |                                                                                       |                                                                                                                                                                                                                                                                                          |              |
|------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| E          | REFORMAT DWG; ALL DIMS & TOL. UPDATE TO MATCH MFG DIE DWGS; ADD ASTM B221 SPEC (D8-1) | CP                                                                                                                                                                                                                                                                                       | 11.10.18     |
| D          | INCREASE MIN. UTS TO 40 KSI                                                           | DS                                                                                                                                                                                                                                                                                       | 98.08.20     |
| C          | ADD D2600-3, UPDATE D2600-1 WIDTH, ADD DIE NO.                                        | DS                                                                                                                                                                                                                                                                                       | 98.04.16     |
| B          | CHANGE MATERIAL SPEC.                                                                 | DS                                                                                                                                                                                                                                                                                       | 97.09.09     |
| A          | NEW ISSUE                                                                             | DS                                                                                                                                                                                                                                                                                       | 97.01.21     |
| REV.       | DESCRIPTION                                                                           | BY                                                                                                                                                                                                                                                                                       | DATE         |
| DESIGN     | <i>[Signature]</i>                                                                    | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA                                                                                                                                                                                                                                 |              |
| DRAWN      | <i>[Signature]</i>                                                                    |                                                                                                                                                                                                                                                                                          |              |
| CHECKED    | <i>[Signature]</i>                                                                    | DRAWING NO.                                                                                                                                                                                                                                                                              | REV. E       |
| MFG. APPR. | <i>[Signature]</i>                                                                    | D2600                                                                                                                                                                                                                                                                                    | SHEET 1 OF 3 |
| APPROVED   | <i>[Signature]</i>                                                                    | TITLE                                                                                                                                                                                                                                                                                    | SCALE        |
| DE APPR.   | <i>[Signature]</i>                                                                    | EXTRUSION                                                                                                                                                                                                                                                                                | NTS          |
| DATE       | 11.10.18                                                                              | <small>COPYRIGHT © 1997 BY DART AEROSPACE LTD<br/> THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small> |              |





D2600-1 EXTRUSION



D2600-3 EXTRUSION

RELEASED  
2012-01-10

|            |          |                                                                                                                                                                                                                                                                          |              |
|------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>                                                                                                                                                                                                                                                |              |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA                                                                                                                                                                                                                                              |              |
| CHECKED    | AS       | DRAWING NO. D2800                                                                                                                                                                                                                                                        | REV. E       |
| MFG. APPR. | E        |                                                                                                                                                                                                                                                                          | SHEET 2 OF 3 |
| APPROVED   | 1/10/18  | TITLE                                                                                                                                                                                                                                                                    | SCALE        |
| DE APPR.   |          | EXTRUSION                                                                                                                                                                                                                                                                | NTS          |
| DATE       | 11.10.18 | COPYRIGHT © 1987 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. |              |

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 02600-3-130  
 DATE: FEB 28 2018

PO / BATCH NO.: 038627/5046104

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 66  
 QUANTITY INSPECTED: 66  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: W0-070  
 THICKNESS RECEIVED: W0-070  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION                                     | NCR<br>(Check Y/N)                 |                                    | COMMENTS   |
|-------------------------------------------------|------------------------------------|------------------------------------|------------|
| SURFACE DAMAGE                                  | Y                                  | <input checked="" type="radio"/> N |            |
| CORRECT FINISH                                  | <input checked="" type="radio"/> Y | N                                  |            |
| CORROSION                                       | Y                                  | <input checked="" type="radio"/> N |            |
| CORRECT GRAIN DIRECTION                         | <input checked="" type="radio"/> Y | N                                  |            |
| CORRECT MATERIAL PER M-DRAWING                  | <input checked="" type="radio"/> Y | N                                  | Astm B221  |
| CORRECT THICKNESS                               | <input checked="" type="radio"/> Y | N                                  |            |
| PHOTO REQUIRED                                  | Y                                  | <input checked="" type="radio"/> N |            |
| CORRECT REF # TO LINK CERT                      | <input checked="" type="radio"/> Y | N                                  | Pd# 038627 |
| CORRECT MATERIAL IDENTIFICATION                 | <input checked="" type="radio"/> Y | N                                  |            |
| CORRECT M# ON THE MATERIAL                      | <input checked="" type="radio"/> Y | N                                  |            |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y                                  | <input checked="" type="radio"/> N |            |
| DOES THIS REQUIRE AN EXTRUSION REPORT           | Y                                  | <input checked="" type="radio"/> N |            |

| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.<br>RECORD RESULTS BELOW |     |     |       |       |         |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|---------|
|                                                                                    | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL                                                                   |     |     |       |       |         |
| SIZE OF TEST SAMPLE                                                                |     |     |       |       |         |
| HARDNESS / DUROMETER READING                                                       |     |     |       |       |         |

testers located in the Quality Office

| QC 18 INSPECTION                                                       |                                     | ENGINEERING SIGNOFF (if required) |
|------------------------------------------------------------------------|-------------------------------------|-----------------------------------|
| INSPECTED BY: <u>DAS</u><br><u>11</u><br>DATE: <u>9-89 FEB 28 2018</u> | SIGNED OFF BY: _____<br>DATE: _____ |                                   |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

**Carrier: MCGILLION**

**Shippers No: 036059**

**TRL 160**

**From: SIGNATURE ALUMINUM CANADA**

**on 02/26/18**

**1850 CLEMENTS ROAD  
PICKERING ON L1W 3R8**

ISSUED AT SHIPPER'S REQUEST

EMIS A LA DEMANDE DE L'EXPÉDITEUR

Received, subject to the classifications and tariffs in effect on the date of issue of this Original Bill of Lading, or received, subject to the Rules for the Carriage of Express and Non-Carload Freight Traffic and tariffs in effect on the date of issue of this Original Shipping Contract (Bill of Lading), goods described below, in apparent good order except as noted contents and conditions of contents of packages unknown, marked, consigned and destined as indicated below, which said Company agrees to carry to its usual place of delivery at said destination, if on its road, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said goods over all or any portion of said route to destination, and as to each party at any time interested in all or any of said goods, that every service to be performed hereunder shall be subject to all the terms and conditions (which are hereby incorporated by reference and have the same force and effect as if the same were severally, fully and specifically set forth herein):

1. Railway Traffic Liability Regulations (C.R.R. 1488 August 14, 1996) passage of the National Transportation Act, 1997;
2. of the bill of lading of the water carrier as provided in its tariffs of rules and Regulations when said goods are carried by a water carrier; or
3. of the bill of lading set forth in or prescribed by the relevant tariffs, classification, statutes and regulations pertaining to motor carrier's services when said goods are carried throughout by a motor carrier; or
4. of the bill of lading in Schedule 2 by D.C. 47-88 of January 12, 1958 when said goods originating in Quebec are to be carried by a motor carrier;
5. or approved by the Board of Transport Commissioners for Canada by General Order No. T-43, set forth in the Rules for the Carriage of Express and Non-Carload Freight Traffic and also available at all express and railway agency stations and express and freight offices upon request, when said goods are carried by a rail carrier, and which are agreed to by the shipper and accepted for himself and his assigns.

Reçu, sous réserve des classifications et tarifs en vigueur à la date de livraison de ce connaissance original, ou sous réserve des règlements régissant le transport des messageries et marchandises de détail et des tarifs en vigueur à la date de livraison de ce contrat de transport (connaissance), les marchandises désignées ci-dessous, apparemment en bon état, sauf les remarques contenues aux présentes (le contenu et l'état du contenu des colis étant inconnus), marquées et consignées tel que ci-après indique, et que la Compagnie s'engage à transporter à destination à son lieu habituel de livraison, pourvu que telle destination soit sur son parcours, sinon à les livrer à un autre voiturier faisant route vers cette destination. Il est de plus convenu que tout voiturier transportant tout ou partie desdites marchandises sur tout ou partie du parcours, que toute personne intéressée en tout temps à tout ou partie desdites marchandises et que tous services prévus aux présentes seront assujettis à toutes les conditions régissant, par service, sont intégrées aux présentes et ont la même force et le même effet que s'elles étaient énoncées séparément, et intégralement et expressément.

1. Le Règlement sur la responsabilité à l'égard du transport ferroviaire de marchandises (DORS/91-488, 12 août 1991) adoptée en vertu de la loi de 1997 sur les transports nationaux;
2. du connaissance du transporteur maritime, conformément aux dispositions et règlements énoncés dans les tarifs s'appliquant au transport par eau; ou
3. du connaissance selon les tarifs, classifications, statuts et règlements se rapportant aux services de camionnage si lesdites marchandises sont transportées par camion; ou
4. du connaissance selon l'annexe 2 du Décret 47-88 du 12 janvier 1958 si les marchandises sont expédiées de la province de Québec par camion;
5. approuvés par l'ordonnance générale No. T-43 de la Commission Canadienne des Transports pour le Canada régissant le transport des messageries et marchandises de détail et dont le texte peut être obtenu par demande à toutes les gares de voyageurs et de messageries, ainsi qu'à tous les dépôts de marchandises si lesdites marchandises sont transportées par un voiturier ou à la condition auxquelles l'expéditeur consent et qu'il accepte pour lui-même et ses ayants droit.

**Consigned To: DART AEROSPACE LTD.  
1270 ABERDEEN ST.  
HAWKESBURY, ON K6A 1K7  
CANADA**

**S/O: 131101  
Freight: Prepaid**

| No   | Description Of Articles              | LTL | Haz | Net   | Tare | Gross |
|------|--------------------------------------|-----|-----|-------|------|-------|
| Pkgs |                                      | Cls | Mat | Kgs   | Kgs  | Kgs   |
| 11   | Aluminum Lineal Shapes; Item 13515-A | 60  |     | 2,625 | 94   | 2,719 |

11 TOTAL 2,625 94 2,719

**Shipper, Per T1TONKS  
SIGNATURE ALUMINUM CANADA  
1850 CLEMENTS ROAD  
PICKERING ON L1W 3R8**

**CANADA**

| CARRIER / AGENT |     |     |     | CONSIGNEE / CONSIGNATAIRE |     |     |     |
|-----------------|-----|-----|-----|---------------------------|-----|-----|-----|
| DATE            | D/J | M/M | Y/Y | DATE                      | D/J | M/M | Y/Y |
|                 |     |     |     |                           |     |     |     |
| PER / PAR       |     |     |     | PER / PAR                 |     |     |     |

Visit us at [www.signaturealum.com](http://www.signaturealum.com)



**SIGNATURE ALUMINUM CANADA**1850 CLEMENTS RD  
PICKERING, ON L1W 3R8**CERTIFICATE OF COMPLIANCE**

| Cert Date  | Cert No. | Sales Order | Page     |
|------------|----------|-------------|----------|
| 07/28/2017 | 5467069  | 131101      | 1        |
| Cust PO    | B/L No   | Lot         | Date     |
| PO038627   | 036059   | 895180      | 02/26/18 |

| Sold To                                                                               | Ship To                                                                               |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 46024<br>DART AEROSPACE LTD.<br>1270 ABERDEEN ST.<br>HAWKESBURY, ON K6A 1K7<br>CANADA | 46024<br>DART AEROSPACE LTD.<br>1270 ABERDEEN ST.<br>HAWKESBURY, ON K6A 1K7<br>CANADA |

| Item No                       | Part No      | Item Description  | Cust Part    |
|-------------------------------|--------------|-------------------|--------------|
| 004                           | DAA-897122-2 | 130" Mill 6061 T6 | D2600-3-130P |
| Gross Weight                  | 1,120 LBS    |                   |              |
| Net Qty                       | 1,085 LBS    | 66 PCS            | 2 PKGS       |
| Specification                 | Die Desc     |                   |              |
| AMS-QQ-A-200/8 & ASTM B221-08 |              |                   |              |

## Mechanical Tests:

| Tensile      | Yield        |              |              |     |
|--------------|--------------|--------------|--------------|-----|
| MPA / KSI    | MPA / KSI    | % Elongation | Conductivity | HRE |
| 306.2 / 44.4 | 267.6 / 38.8 | 11.2         | N/A          | 93  |

## Chemical Analysis:

| Si   | Fe   | Cu   | Mn   | Mg   | Cr   | Zn   | Ti   | V    | Zr   |
|------|------|------|------|------|------|------|------|------|------|
| 0.61 | 0.24 | 0.21 | 0.05 | 0.87 | 0.07 | 0.07 | 0.01 | 0.01 | 0.00 |

*This Material is Made in Canada**This Material is RoHS Compliant*

This will certify that the material described herein has been inspected and tested in accordance with Signature Aluminum Canada's standard sampling and testing procedures or in accordance with the requirements of any specification forming a part of the material description to the extent indicated herein. Data of chemical composition for the material and test results from samples representative of the material are set forth above hereof or in any attachments hereto. This information shows that the material meets the applicable requirements. Inspection and test records are maintained on file. This certificate shall be deemed apart of and subject to the terms and conditions of warranty set forth on the reverse side of our order acknowledgement form. No other warranties are applicable.

S. Gooder  
Quality Manager  
Signature Aluminum Canada Inc

ISO 9001/TS16949 Registered Company

Visit us at [www.signaturealum.com](http://www.signaturealum.com)

Rev A

ACCT# 46024

**SIGNATURE ALUMINUM CANADA**  
1850 CLEMENTS ROAD  
PICKERING ON L1W 3R8

PACKING LIST DATE / DATE DU  
02-26-18

PACKING LIST NUMBER / N° DE  
036059

SALES ORDER NUMBER / N° DE COM  
131101

SHIP TO / EXPÉDIÉ À

DART AEROSPACE LTD.  
1270 ABERDEEN ST.  
HAWKESBURY, ON K6A 1K7  
CANADA

PHONE: 613-632-5200

SOLD TO / VENDUE À

DART AEROSPACE LTD.  
1270 ABERDEEN ST.  
HAWKESBURY, ON K6A 1K7  
CANADA

PHONE: 613-632-5200

TERMS / FREIGHT

PP

REFER TO  
THESE NUMBERS ON  
ALL CORRESPONDANCE

REFÉREZ-VOUS A CES  
NUMEROUS POUR TOUTE  
CORRESPONDANCE

LOCATION

TRAILER NUMBER /  
REMORQUE Nombre

SALESMAN /  
VENDEUR

CREDIT REP / REP DU CRÉDIT

SALES REP / REP. DES  
VENTES

PIC

160

042

R. BLAIS

CUSTOMER ID / ID DU  
CLIENT

ORDER DATE / DE LA  
COM

CUSTOMER PO NUMBER / CLIENT PO Number

P0038627

JOB /  
FICHIER

FIELD SALES REP / REP  
REGIONAL DES VENTES

CUST SERVICE REP / REP.  
SERVICE CLIENTELE

46024

02/13/18

BILL OF LADING NUMBER / NO. DE CONNAISSEMENT

036059

CARRIER / TRANSPORTEUR  
MCGILLION

G.ATTENBOROU

S1S

| ITEM<br>NO. /<br>NUMÉRO | ORIGINAL ORDER<br>QUANTITY /<br>Quantité d'ordre ORIGINAL | UNIT /<br>UNITÉ | PREVIOUS<br>SHIPPED QUANTITY /<br>PRÉCÉDENT<br>Quantité livrée | MFG. PART NUMBER /<br>MFG. PARTIE NUMÉRO | ALLOY & TEMPER /<br>ALLIAGE & TEMPER | FINISH DESCRIPTION / DESCRIPTION DE FINITION | NBR OF<br>PKGS /<br>NBR DE<br>PKGS | GROSS LBS /<br>LIVRES BRUT | NET QUANTITY<br>/<br>QUANTITÉ<br>NETTE | UNIT /<br>UNITÉ | QUANTITY<br>DUE /<br>Quantité en<br>raison |
|-------------------------|-----------------------------------------------------------|-----------------|----------------------------------------------------------------|------------------------------------------|--------------------------------------|----------------------------------------------|------------------------------------|----------------------------|----------------------------------------|-----------------|--------------------------------------------|
| 004                     | 2,200                                                     | LB              |                                                                | DAA-897122-2                             | 6061 T6                              |                                              | 2                                  | 1,120                      | 1,085                                  | LB              |                                            |
|                         | 998                                                       | KG              |                                                                | D2600-3-130P                             | 130-0000 IN                          |                                              |                                    | 508                        | 492                                    | KG              |                                            |
| Y                       | 127                                                       | PC              |                                                                |                                          | Cut(+): 0.0000 Cut(-): 0.0000        | Min: -10 % Max: 10 %                         |                                    |                            | 66                                     | PC              |                                            |
|                         |                                                           |                 |                                                                |                                          |                                      | 895180 / 413094                              | 1                                  | 340                        | 322                                    |                 | 20 PC                                      |
|                         |                                                           |                 |                                                                |                                          |                                      | 895180 / 413095                              | 1                                  | 780                        | 763                                    |                 | 46 PC                                      |

Transportation/Traffic damages and/or shortage claims are to be noted on the delivery copy of sellers shipping packing lists and signed and dated below by customers authorized representatives.  
No return materials will be accepted for credit without permission. The articles and/or services covered by this shipping packing list were produced in accordance with the fair labor standards act of 1938 as amended. Orders accepted subject to the terms and conditions stated on the reverse side.

CUSTOMER ACKNOWLEDGEMENT OF GOODS DELIVERED AND CONDITION

Page 4 of 4

DATE OF DELIVERY

DRIVER

|        |       |       |    |
|--------|-------|-------|----|
| 11     | 5,994 | 5,787 | LB |
|        | 2,719 | 2,625 | KG |
|        |       | 504   | PC |
| TOTALS |       |       |    |